

GroXpress LED Fixtures GroXpress LED 340W FullSpectrum + EUR 0020930



Product features

- Consists of 4 LED modules which create a large lighted area enabling light to penetrate deeper into the plant ("3D plant lighting"), - Uses Gro-Lux FullSpectrum+; a plant specfic spectrum for all stages of plant growth, optimised for applications without natural sunlight, - Suitable for plant production in 80x80cm or 100x100cm areas with first-class photosynthetic and morpholoigic spectrum, - Suitable for low ceilings or growing racks, - Dimmable, - Made of Anodised aluminium to protect against corrosion and extend the life of the product.



NOTES

undefined

PRODUCT OVERVIEW

Product name	GroXpress LED 340W FullSpectrum + EUR
Technology	LED
Cap/Base	N/A
Housing	Aluminium
Mount	Suspended
Fixture rating	Open
General application	Logistics & Industry
ETIM Class	EC002892
Fixture luminous flux (Im)	20400
Luminaire efficacy (Im/W)	60
Beam Angle (°)	120
Photobiological Risk Group	RG1
Total power consumption (W)	340
Control gear type	LED driver constant current
Dimmable	Yes
IP rating	IP20
Product EAN number	5410288209302

DATA TABLE

General data	
Product name	GroXpress LED 340W FullSpectrum + EUR
Technology	LED
Cap/Base	N/A
Housing	Aluminium
Mount	Suspended
Fixture rating	Open
General application	Logistics & Industry

SYLVANIA

GroXpress LED Fixtures GroXpress LED 340W FullSpectrum + EUR 0020930

Operating temperature range (°C)	-10°C - 40°C
ETIM Class	EC002892
Optical data	
Fixture luminous flux (Im)	20400
Luminaire efficacy (Im/W)	60
Beam Angle (°)	120
Photobiological Risk Group	RG1
Electrical data	
Total power consumption (W)	340
Current (A)	1.643
Mains voltage (V)	220-240V~
Lamp power factor	0.9
Control gear required	No
Control gear type	LED driver constant current
Dimmable	Yes
Nominal Frequency (Hz)	50/60Hz
Lifetime data	
Lifespan L70 B50	50000
Physical data	
IP rating	IP20
Weight (kg)	8.3
Packaging	
Single packaging type	Carton
Product EAN number	5410288209302 73.0
Packaging single length / height (cm)	73.0
Packaging single width (cm)	10.5
Packaging single depth (cm) DUN14 (outer)	0.5
Units per outer package	1
Packaging outer length / height (cm)	73.0
Packaging outer width (cm)	70.8
Packaging outer depth (cm)	10.5
Safety data	
Optimal operating condition (°C)	-10-40
Safety message	Not suitable for household
callety motologo	



GroXpress LED Fixtures GroXpress LED 340W FullSpectrum + EUR 0020930

SYLVANIA 0020930	
This luminaire contains built-in LED lamps	
A ⁺⁺ A ⁺ A	
The lamps cannot be changed in the luminaire.	
874/2012	
This luminaire contains built-in LED lamps	A ⁺⁺ A ⁺ A

