



INTRODUCING THE NEW

K FAN

EC & AC SERIES



www.globalairsupplies.co.uk

K FAN

AC SERIES

The K AC fan is quiet, dependable and designed for years of continuous use. The fan is sealed to prevent any leakage from the body of the fan. Preventing smells or contaminants escaping from a filtered ventilation system.

- Speed Controllable (Triac or Voltage)
- Energy efficient, backwards curved motorised impeller
- Thermal Protection
- Suitable to ventilate humid rooms rated at IP55
- Maintenance free - made in Germany



includes mounting bracket

Technical Data

Model	K100A1	K100L1	K125A1	K125L1	K150A1	K150L1	K200A1	K200L1	K250A1	K250L1	K315A1
Max Air Flow m ³ /h	180	285	187	359	464	724	760	965	788	979	1340
Flange Size mm	99	99	124	124	149	149	199	199	249	249	314

K FAN EC SERIES



The K EC fan uses the latest state of the art EC technology. All the motor control and protection electronics are built into the fans. The brushless motors are up to 90% more efficient. They are quieter and can be controlled more accurately with digital fan controllers.

- Speed Controllable (Triac or Voltage)
- Energy efficient, backwards curved motorised impeller
- Thermal Protection
- Suitable to ventilate humid rooms rated at IP55
- Maintenance free - made in Germany




includes mounting bracket

Technical Data

Model	K100EC	K125EC	K160EC	K200EC	K250EC	K315EC	K315ECL
Max Air Flow m ³ /h	321	482	544	774	1033	1415	1734
Flange Size mm	99	124	159	199	249	314	314

Official Dealer



Distributed in the UK by:
Global Air Supplies UK Ltd
www.globalairsupplies.co.uk